

Urb 100mg Sour Waterberry

Sample ID: SA-260330-78993
 Batch: URB032626SW
 Type: Finished Product - Ingestible
 Matrix: Edible - Gummy
 Unit Size (g): 3.81714
 Unit Volume (mL):, Density (g/mL):

Received: 03/31/2026
 Completed: 04/07/2026

Client
 Urb
 5511 95th Ave
 Kenosha, WI 53144
 USA
 Lic. #: C2025-02503


Summary

Test	Date Tested	Status
Cannabinoids	04/07/2026	Tested
Foreign Matter	04/01/2026	Tested
Heavy Metals	04/03/2026	Tested
Microbials	04/03/2026	Tested
Mycotoxins	04/07/2026	Tested
Pesticides	04/07/2026	Tested
Residual Solvents	04/07/2026	Tested

0.207 %	2.17 %	2.47 %	Not Tested	Not Detected	Yes
Total Δ9-THC	Δ8-THC	Total Cannabinoids	Moisture Content	Foreign Matter	Internal Standard Normalization

Cannabinoids by HPLC-PDA and GC-MS/MS

Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/unit)
CBC	0.00095	0.00284	ND	ND
CBCA	0.00181	0.00543	ND	ND
CBCV	0.0006	0.0018	ND	ND
CBD	0.00081	0.00242	0.00570	0.218
CBDa	0.00043	0.0013	ND	ND
CBDV	0.00061	0.00182	ND	ND
CBDVA	0.00021	0.00063	ND	ND
CBG	0.00057	0.00172	ND	ND
CBGA	0.00049	0.00147	ND	ND
CBL	0.00112	0.00335	ND	ND
CBLA	0.00124	0.00371	ND	ND
CBN	0.00056	0.00169	<LOQ	<LOQ
CBNA	0.0006	0.00181	ND	ND
CBT	0.0018	0.0054	<LOQ	<LOQ
Δ4,8-iso-THC	0.00133	0.004	0.0794	3.03
Δ6a,10a-THC	0.00133	0.004	ND	ND
Δ8-iso-THC	0.00133	0.004	0.00610	0.233
Δ8-THC	0.00104	0.00312	2.17	82.6
Δ8-THCV	0.00133	0.004	0.00820	0.313
Δ9-THC	0.00076	0.00227	0.207	7.90
Δ9-THCA	0.00084	0.00251	ND	ND
Δ9-THCV	0.00069	0.00206	ND	ND
Δ9-THCVA	0.00062	0.00186	ND	ND
(6aR,9R)-Δ10-THC	0.00133	0.004	ND	ND
(6aR,9S)-Δ10-THC	0.00133	0.004	ND	ND
exo-THC	0.00133	0.004	ND	ND
(6aR,9R,10aR)-HHC	0.00133	0.004	ND	ND
(6aR,9S,10aR)-HHC	0.00133	0.004	ND	ND
Total Δ9-THC			0.207	7.90
Total			2.47	94.3

Generated By: Scott Caudill
 Laboratory Manager
 Date: 04/07/2026



Urb 100mg Sour Waterberry

Sample ID: SA-260330-78993
Batch: URB032626SW
Type: Finished Product - Ingestible
Matrix: Edible - Gummy
Unit Size (g): 3.81714
Unit Volume (mL):, Density (g/mL):

Received: 03/31/2026
Completed: 04/07/2026

Client
Urb
5511 95th Ave
Kenosha, WI 53144
USA
Lic. #: C2025-02503

ND = Not Detected; NR = (Spike) Not Recoverable, sample matrix interference present which may affect accuracy of results; NT = Not Tested; UA = Unsuitable for Analysis; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total $\Delta 9$ -THC = $\Delta 9$ -THCA * 0.877 + $\Delta 9$ -THC; Total CBD = CBDA * 0.877 + CBD;



Generated By: Scott Caudill
Laboratory Manager
Date: 04/07/2026



Tested By: Kelsey Rogers
Scientist
Date: 04/07/2026



ISO/IEC 17025:2017 Accredited
Accreditation #108651





KCA Laboratories
1509 Bull Lea Rd, Ste 100
Lexington, KY 40511

+1-833-KCA-LABS
<https://kcalabs.com>
KDA Lic.# P_0058

Certificate of Analysis

3 of 7

Urb 100mg Sour Waterberry

Sample ID: SA-260330-78993
Batch: URB032626SW
Type: Finished Product - Ingestible
Matrix: Edible - Gummy
Unit Size (g): 3.81714
Unit Volume (mL):, Density (g/mL):

Received: 03/31/2026
Completed: 04/07/2026

Client
Urb
5511 95th Ave
Kenosha, WI 53144
USA
Lic. #: C2025-02503

Heavy Metals by ICP-MS

Analyte	LOD (ppm)	LOQ (ppm)	Result (ppm)
Arsenic	0.002	0.02	ND
Cadmium	0.002	0.02	ND
Lead	0.005	0.05	<LOQ
Mercury	0.005	0.01	ND

ND = Not Detected; NT = Not Tested; UA = Unsuitable for Analysis; NR = Sample matrix interference present which may affect accuracy of results; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit; Values over action limits may be estimates

Generated By: Scott Caudill
Laboratory Manager
Date: 04/07/2026

Tested By: Annie Velazquez
Assistant Scientist
Date: 04/03/2026



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 17025:2017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.

Urb 100mg Sour Waterberry

Sample ID: SA-260330-78993
 Batch: URB032626SW
 Type: Finished Product - Ingestible
 Matrix: Edible - Gummy
 Unit Size (g): 3.81714
 Unit Volume (mL):, Density (g/mL):

Received: 03/31/2026
 Completed: 04/07/2026

Client
 Urb
 5511 95th Ave
 Kenosha, WI 53144
 USA
 Lic. #: C2025-02503

Pesticides by LC-MS/MS and GC-MS/MS

Analyte	LOD (ppb)	LOQ (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Result (ppb)
Abamectin	30	100	ND	Hexythiazox	30	100	ND
Acephate	30	100	ND	Imazalil	30	100	ND
Acequinocyl	30	100	ND	Imidacloprid	30	100	ND
Acetamiprid	30	100	ND	Kresoxim methyl	30	100	ND
Aldicarb	30	100	ND	Malathion	30	100	ND
Azoxystrobin	30	100	ND	Metaxyl	30	100	ND
Bifenazate	30	100	ND	Methiocarb	30	100	ND
Bifenthrin	30	100	ND	Methomyl	30	100	ND
Boscalid	30	100	ND	Mevinphos	30	100	ND
Carbaryl	30	100	ND	Myclobutanil	30	100	ND
Carbofuran	30	100	ND	Naled	30	100	ND
Chloranthraniliprole	30	100	ND	Oxamyl	30	100	ND
Chlorfenapyr	30	100	ND	Paclobutrazol	30	100	ND
Chlormequat chloride	30	100	ND	Permethrin	30	100	ND
Chlorpyrifos	30	100	ND	Phosmet	30	100	ND
Clofentezine	30	100	ND	Piperonyl Butoxide	30	100	ND
Coumaphos	30	100	ND	Prallethrin	30	100	ND
Cypermethrin	30	100	ND	Propiconazole	30	100	ND
Daminozide	30	100	ND	Propoxur	30	100	ND
Diazinon	30	100	ND	Pyrethrins	30	100	ND
DDVP (Dichlorvos)	30	100	ND	Pyridaben	30	100	ND
Dimethoate	30	100	ND	Spinetoram	30	100	ND
Dimethomorph	30	100	ND	Spinosad	30	100	ND
Ethoprophos	30	100	ND	Spiromesifen	30	100	ND
Etofenprox	30	100	ND	Spirotetramat	30	100	ND
Etoxazole	30	100	ND	Spiroxamine	30	100	ND
Fenhexamid	30	100	ND	Tebuconazole	30	100	ND
Fenoxycarb	30	100	ND	Thiacloprid	30	100	ND
Fenpyroximate	30	100	ND	Thiamethoxam	30	100	ND
Fipronil	30	100	ND	Trifloxystrobin	30	100	ND
Flonicamid	30	100	ND				
Fludioxonil	30	100	ND				

ND = Not Detected; NT = Not Tested; UA = Unsuitable for Analysis; NR = Sample matrix interference present which may affect accuracy of results; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit; Values over action limits may be estimates



Generated By: Scott Caudill
 Laboratory Manager
 Date: 04/07/2026



Authorized By: Madeline Mitchell
 Assistant Scientist
 Date: 04/07/2026



Urb 100mg Sour Waterberry

Sample ID: SA-260330-78993
 Batch: URB032626SW
 Type: Finished Product - Ingestible
 Matrix: Edible - Gummy
 Unit Size (g): 3.81714
 Unit Volume (mL):, Density (g/mL):

Received: 03/31/2026
 Completed: 04/07/2026

Client
 Urb
 5511 95th Ave
 Kenosha, WI 53144
 USA
 Lic. #: C2025-02503

Mycotoxins by LC-MS/MS

Analyte	LOD (ppb)	LOQ (ppb)	Result (ppb)
B1	1	5	ND
B2	1	5	ND
G1	1	5	ND
G2	1	5	ND
Ochratoxin A	1	5	ND

ND = Not Detected; NT = Not Tested; UA = Unsuitable for Analysis; NR = Sample matrix interference present which may affect accuracy of results; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit; Values over action limits may be estimates



Generated By: Scott Caudill
 Laboratory Manager
 Date: 04/07/2026



Tested By: Madeline Mitchell
 Assistant Scientist
 Date: 04/07/2026



Urb 100mg Sour Waterberry

Sample ID: SA-260330-78993
 Batch: URB032626SW
 Type: Finished Product - Ingestible
 Matrix: Edible - Gummy
 Unit Size (g): 3.81714
 Unit Volume (mL):, Density (g/mL):

Received: 03/31/2026
 Completed: 04/07/2026

Client
 Urb
 5511 95th Ave
 Kenosha, WI 53144
 USA
 Lic. #: C2025-02503

Microbials by PCR and Plating

Analyte	LOD (CFU/g)	Result (CFU/g)	Result (Qualitative)
Total aerobic count	10	ND	
Total coliforms	10	ND	
Generic E. coli	10	ND	
Salmonella spp.	1		Not Detected per 1 gram
Shiga-toxin producing E. coli (STEC)	1		Not Detected per 1 gram

ND = Not Detected; NT = Not Tested; UA = Unsuitable for Analysis; NR = Sample matrix interference present which may affect accuracy of results; LOD = Limit of Detection; LOQ = Limit of Quantitation; CFU = Colony Forming Units; P = Pass; F = Fail; RL = Reporting Limit



Generated By: Scott Caudill
 Laboratory Manager
 Date: 04/07/2026



Tested By: Sara Cook
 Laboratory Technician
 Date: 04/03/2026



Urb 100mg Sour Waterberry

Sample ID: SA-260330-78993
 Batch: URB032626SW
 Type: Finished Product - Ingestible
 Matrix: Edible - Gummy
 Unit Size (g): 3.81714
 Unit Volume (mL):, Density (g/mL):

Received: 03/31/2026
 Completed: 04/07/2026

Client
 Urb
 5511 95th Ave
 Kenosha, WI 53144
 USA
 Lic. #: C2025-02503

Residual Solvents by HS-GC-MS

Analyte	LOD (ppm)	LOQ (ppm)	Result (ppm)	Analyte	LOD (ppm)	LOQ (ppm)	Result (ppm)
Acetone	33	100	ND	Ethylene Oxide	0.5	1	ND
Acetonitrile	14	41	ND	Heptane	33	100	ND
Benzene	0.5	1	ND	n-Hexane	2	6	ND
Butane	33	100	ND	Isobutane	33	100	ND
1-Butanol	167	500	ND	Isopropyl Acetate	167	500	ND
2-Butanol	167	500	ND	Isopropyl Alcohol	167	500	ND
2-Butanone	167	500	ND	Isopropylbenzene	167	500	ND
Chloroform	2	6	ND	Methanol	20	60	ND
Cyclohexane	129	388	ND	2-Methylbutane	10	29	ND
1,2-Dichloroethane	0.5	1	ND	Methylene Chloride	20	60	ND
1,2-Dimethoxyethane	4	10	ND	2-Methylpentane	2	6	ND
Dimethyl Sulfoxide	167	500	ND	3-Methylpentane	2	6	ND
N,N-Dimethylacetamide	37	109	ND	n-Pentane	33	100	ND
2,2-Dimethylbutane	2	6	ND	1-Pentanol	167	500	ND
2,3-Dimethylbutane	2	6	ND	n-Propane	33	100	ND
N,N-Dimethylformamide	30	88	ND	1-Propanol	167	500	ND
2,2-Dimethylpropane	167	500	ND	Pyridine	7	20	ND
1,4-Dioxane	13	38	ND	Tetrahydrofuran	24	72	ND
Ethanol	167	500	ND	Toluene	6	18	ND
2-Ethoxyethanol	6	16	ND	Trichloroethylene	3	8	ND
Ethyl Acetate	33	100	ND	Xylenes (o-, m-, and p-)	14	43	ND
Ethyl Ether	167	500	ND				
Ethylbenzene	3	7	ND				

ND = Not Detected; NT = Not Tested; UA = Unsuitable for Analysis; NR = Sample matrix interference present which may affect accuracy of results; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit; Values over action limits may be estimates



Generated By: Scott Caudill
 Laboratory Manager
 Date: 04/07/2026



Tested By: Kelsey Rogers
 Scientist
 Date: 04/07/2026

